HECEIVED CENTRACFAX/CENTER JAN 2 8 2008

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (currently amended) A catheter adapted for insertion into a <u>an enteral</u> cavity, the catheter comprising:
 - a first lumen;
 - a second lumen; and
- a venting mechanism adapted to allow for the release of <u>enteric gases and</u>
 <u>resulting</u> pressure from the cavity wherein said venting mechanism is gas permeable
 and liquid impermeable.
- 2. (original) The catheter of Claim 1 wherein the catheter further comprises a retention member adapted to retain the catheter in the cavity.
- 3. (cancelled) The catheter of Claim 1 wherein the venting mechanism is gas permeable and liquid impermeable.
- 4. (original) The catheter of Claim 1 wherein the venting mechanism is continuously open.
- 5. (original) The catheter of Claim 1 wherein the venting mechanism is open, partially open, or closed.
- 6. (original) The catheter of Claim 1 wherein the venting mechanism is a gas permeable and liquid impermeable membrane.
- 7. (original) The catheter of Claim 1 further comprises a head positioned at one end of the first and second lumens, and wherein the venting mechanism is located in or about the head of the catheter.
- 8. (original) The catheter of Claim 1 further comprises a head positioned at one end of the first and second lumens, and wherein the venting mechanism is located distal the head of the catheter.

- 9. (original) The catheter of Claim 1 wherein the venting mechanism is located at one end of one of the lumens.
- 10. (original) The catheter of Claim 1 wherein the venting mechanism is capable of being remotely actuated.
- 11. (cancelled) The catheter of Claim 1 wherein the venting mechanism is a butterfly valve.
- 12. (cancelled) The catheter of Claim 1 wherein the venting mechanism is a gravity operated ball valve.
- 13. (original) The catheter of Claim 1 further comprises a third lumen.
- 14. (original) The catheter of Claim 13 wherein the third lumen is an inflation lumen.
- 15. (original) The catheter of Claim 1 wherein the catheter is a low profile catheter.
- 16. (cancelled) The catheter of Claim 1 further comprises a trigger to operate the venting mechanism.
- 17. (original) The catheter of Claim 2 wherein the retention member is a balloon member.
- 18. (original) The catheter of Claim 2 wherein the retention member is a unitary component.
- 19. (original) The catheter of Claim 1 further comprises a second mechanism adapted to further control the venting ability of the catheter.
- 20. (original) The catheter of Claim 1 wherein the catheter is an enteral feeding catheter.
- 21. (original) The catheter of Claim 1 wherein the venting mechanism is an insert comprising at least in part a porous material.

- 22. (original) The catheter of Claim 21 wherein at least a portion of the porous material of the insert is selected from the group consisting of reticulated polymer foams, expanded polymers, expanded PTFE, porous metals, and powdered metals.
- 23. (original) The catheter of Claim 21 wherein at least a portion of the venting mechanism is removable from the catheter.
- 24. (currently amended) A catheter comprising:
 - a first lumen;
 - a second lumen;
 - a third lumen; and
 - a an enteric gas venting mechanism;

wherein one of the lumens is a venting lumen, and another of the lumens is an inflation lumen and wherein said venting mechanism is gas permeable and liquid impermeable.

- 25. (original) The catheter of Claim 24 wherein the catheter further comprises a retention member adapted to retain the catheter in a cavity.
- 26. (cancelled) The catheter of Claim 24 wherein the venting mechanism is gas permeable.
- 27. (original) The catheter of Claim 24 wherein the venting mechanism is a gas permeable and liquid impermeable membrane.
- 28. (original) The catheter of Claim 24 wherein the venting mechanism is capable of being remotely actuated.
- 29. (cancelled) The catheter of Claim 24 wherein the venting mechanism is a butterfly valve.
- 30. (cancelled) The catheter of Claim 24 wherein the venting mechanism is a gravity operated ball valve.

- 31. (original) The catheter of Claim 24 wherein the catheter is a low profile catheter.
- 32. (cancelled) The catheter of Claim 24 further comprising a trigger to operate the venting mechanism.
- 33. (original) The catheter of Claim 24 wherein the retention member is a balloon member.
- 34. (original) The catheter of Claim 24 wherein the retention member is a unitary component.
- 35. (original) The catheter of Claim 24 further comprises a second mechanism adapted to further control the venting ability of the catheter.
- 36. (original) The catheter of Claim 24 wherein the catheter is an enteral feeding catheter.
- 37. (cancelled) A balloon catheter comprising:
 - a first lumen and a second lumen;
- a mechanism capable of at least partially blocking the flow of liquids through the second lumen; and

an inflation lumen; and a balloon member; wherein the balloon member is in fluid communication with the inflation member and is adapted to retain the catheter in a body cavity; wherein the catheter is adapted to allow for the release of pressure from a cavity into which the catheter can be inserted.

- 38. (cancelled) The catheter of Claim 37 wherein the mechanism is a gas permeable venting mechanism.
- 39. (cancelled) The catheter of Claim 37 wherein the mechanism is a gas permeable and liquid impermeable membrane.
- 40. (cancelled) The catheter of Claim 37 wherein the mechanism at least partially blocks the second lumen based on the orientation of the catheter.

- 41. (cancelled) The catheter of Claim 37 further comprises a retention member.
- 42. (cancelled) The catheter of Claim 37 further comprises a second mechanism adapted to further control the venting ability of the catheter.